

Sanosil S010 Disinfectant

For convenient spot disinfecting of pre-cleaned surfaces

EPA Reg No. 84526-1

Product Item No.: S010N0G4	Case, x4 - 1-Gallon Bottles (3.8L) - use to fill Sanosil Halo Fogger
	Case Shipping Dimensions (LxWxH): 11" x 11" x 11" (279.4 x 279.4 x 279.4 mm)
	Case Shipping Weight: 48 lbs (21.74 kg)
	Shipping NMFC 57100 Sub 2
	Shipping Class 85

Active Ingredients:

5.0% Hydrogen Peroxide, 0.01% Silver



Sanosil S010 Halo™ Fogger Technical Data

Description

The Sanosil Halo Fogger is an amazing new delivery technology designed to supplement infection prevention measures, like manual cleaning, with unique and powerful room surface disinfection.

At the push of a button, the Halo dispenses a dry mist of atomized Sanosil S010 into the air. The droplets fill the room and are drawn into every nook, crevice and corner, reaching surfaces that regular cleaning and disinfecting can't. The Halo assures a homogenous distribution of disinfectant on all surfaces in the room, reducing the risk of cross-contamination of infectious diseases associated with using a rag, wipe or sponge.

Application Data

% Kill / Inactivation

• <i>Pseudomonas aeruginosa</i> (ATCC 15442)	>99.99
• <i>Staphylococcus aureus</i> MRSA (ATCC 33592)	>99.99
• <i>Rhinovirus Type 37</i> (ATCC VR-1147)	>99.9
• <i>Influenza A (H1N1)</i> (ATCC VR-333)	>99.999

Non GLP tests. All results backed by 3rd party validation.

Testing based on 20 minute fogging of 1,800 cu ft room with 90 min settling time.

Specifications:

- Unit size: 13.25" wide x 18.5" deep x 40" tall
- Unit weight: 50 lbs - dry
- Plugs into any standard 110V wall outlet
- On-board reservoir holds up to two gallons of Sanosil disinfectant, enough to treat up to 10,000 cubic feet (1,000 square feet with 10' ceilings)

Advantages:

- The Halo reaches surfaces that regular cleaning and disinfecting can't
- The Halo reduces the risk of cross-contamination associated with using a rag, wipe or sponge
- The Halo is ideal for use in heavily used, large public areas
- The Halo operates automatically to reduce labor and exposure; just fill, set time, press start and leave the room
- Rooms can be reoccupied in as quickly as 110 minutes after treatment*



**To ensure occupational health hazard levels are not exceeded, 110 minute re-entry time is for a room size of 1,800 ft³ (50 m³) or smaller. Larger rooms require longer re-entry wait times.*